

Upper Sprague Watershed Assessment

Prepared by:

Klamath Basin Ecosystem Foundation
M. Connelly

Oregon State University Klamath Basin Research and Extension Center:
L. Lyons

With technical assistance from:

E&S Environmental Chemistry, Inc.
PO Box 609
Corvallis, OR 97330

K.U. Snyder
R.B. Raymond
T.J. Sullivan
D.L. Moore
T. McDonnell
D. Vesely

Significant contributions were made by the Assessment Revision Team.

Assessment Revision Team Members:

C. Bienz
G. Bulkley
W. Elmore
C. Leeseberg
S. Mattenberger
A. Rabe
J. Regan-Vienop
J. Staats

Klamath Basin Ecosystem Foundation
700 Main Street Suite 202
Klamath Falls, OR 97601

June 2007

Members of the Assessment Team also made significant contributions to this document.

Assessment Team Members:

H. Barrett
E. Bartel
C. Bienz
G. Bulkley
R. Chadwick
D. Cowan
L. Dunsmoor
W. Elmore
K. Fischer
S. Holtzman
J. Honey
B. Hyde
C. Leeseberg
M. Lunn
S. Mattenberger
A. Rabe
J. Regan-Vienop
G. Roseberry
M. Schreder
J. Staats
B. Topham
B. Valladao
R. Valladao
L. Van Riper

Significant contributions additionally made by:

Klamath Basin Ecosystem Foundation:

J. Egenolf
Z. Thompson-Jacobs

Table of Contents

List of Figures.....ix

List of Tables.....xi

List of Maps.....xiv

List of Acronyms and Abbreviations.....xv

Disclaimer.....xviii

Preface.....xix

Chapter 1. Introduction

 The OWEB Process and Issue Identification..... 1-4

 The Working Landscapes Alliance Process..... 1-11

 The Economics of Restoration..... 1-13

 A Note on “Reference Conditions” 1-14

 Document Organization 1-15

 Conclusion 1-16

 References Cited..... 1-16

Chapter 2. Historical Conditions

 Landscape Changes Through History..... 2-1

 Getting The Lines Crossed..... 2-2

 The First Diversion..... 2-3

 Livestock & Forage..... 2-4

 The Timber Industry 2-6

 Conclusion 2-9

 References Cited..... 2-9

Chapter 3. General Geographic Characteristics

 Physical Characteristics 3-1

 Size and Setting..... 3-1

 Land Cover and Ownership 3-3

 Ecoregions and Vegetation..... 3-8

 Climate 3-10

 Cultural Characteristics..... 3-11

 Population and Early History 3-11

 Agriculture..... 3-12

 Forestry 3-12

 Recreation..... 3-13

 References Cited..... 3-13

Chapter 4. Geologic Processes

 Characterization..... 4-1

 Current Conditions 4-2

 Geology..... 4-2

 Soils 4-6

 Erosion Potential..... 4-14

 Sheet Erosion..... 4-14

- Streambank Erosion 4-17
- Road Erosion 4-21
 - Location of Roads 4-23
- Rill and Gully Erosion 4-29
- Mass Movement of Soil 4-30
- Influence of Human Activities on Erosion Potential 4-31
- References Cited 4-33

Chapter 5. Hydrology and Water Use

- Introduction 5-1
- General Climate 5-1
- Hydrology 5-2
 - Precipitation 5-3
 - Ground Water 5-5
 - Stream Flow 5-12
 - Low Flow 5-15
 - Peak Flow 5-15
- Water Use 5-19
 - Consumptive Water Use 5-20
 - In-stream Rights 5-23
- References Cited 5-25

Chapter 6. Terrestrial Vegetation

- Pre-Settlement Terrestrial Plant Communities 6-1
- Current Terrestrial Plant Communities 6-3
 - Mapping Methods 6-3
 - Forests and Woodlands 6-5
 - Ponderosa Pine Forests 6-5
 - Lodgepole Pine Forests 6-5
 - Whitebark-Lodgepole Pine-Alpine Forest 6-7
 - Western Juniper Woodlands 6-7
 - Shrublands 6-7
 - Threatened, Endangered, and Sensitive Plant Species 6-8
 - Effects of Human Activities on Plant Communities 6-9
- References Cited 6-13

Chapter 7. Riparian Areas

- Introduction 7-1
- PFC, Greenline, and Site-Specific Methods 7-2
 - Riparian Ecological Type Classification and Scorecard Guides 7-3
 - Riparian Process, Function and Management 7-5
 - Riparian Assessment Studies 7-8
 - Fremont-Winema National Forest Evaluation of Riparian Conditions 7-8
 - Sprague Watershed 7-10
- LIDAR-Based Vegetation Height Analysis 7-13
 - Methods 7-13
 - Results 7-13
 - Discussion 7-14
- Summary: Changes In Riparian Function 7-20

References Cited.....	7-21
Chapter 8. Wetlands	
Introduction	8-1
NWI and Wetland Delineation	8-1
Wetland Types	8-6
Palustrine	8-7
Lacustrine	8-7
Riverine	8-9
Upper Sprague River Subbasin Wetland Statistics	8-9
Wetland Summary by Watershed.....	8-9
Sprague River Above Beatty Watershed	8-9
North Fork Sprague Watershed	8-10
South Fork Sprague Watershed.....	8-10
Fishhole Creek Watershed	8-10
Lower Sycan River Watershed.....	8-11
Sycan Marsh Watershed	8-11
Upper Sycan River Watershed.....	8-11
References Cited.....	8-14
Chapter 9. Channel Characteristics	
Stream Energy	9-1
Channel Morphology.....	9-2
Pools.....	9-3
Riffles	9-3
Theory and Field Methods.....	9-4
Channel Classification	9-5
Designation of Channel Habitat Types.....	9-6
Type Aa+ Channels	9-6
Type A Channels	9-7
Type B Channels	9-7
Type C Channels	9-7
Type D Channels.....	9-7
Type DA Channels.....	9-7
Type E/F Channels	9-7
Ditched Channels	9-7
Modifications to Stream Channel Conditions.....	9-15
Reservoirs	9-15
Splash Dams and Stream Cleaning.....	9-15
Stream Widening and Encisement.....	9-15
References Cited.....	9-16
Chapter 10. Water Quality	
Introduction	10-1
Beneficial Uses.....	10-2
Pollutant Sources.....	10-2
Point Sources	10-2
Nonpoint Sources	10-3
Evaluation Criteria	10-3

Water Quality Limited Water Bodies	10-4
Water Quality Data	10-9
Water Quality Constituents	10-9
Temperature.....	10-9
Dissolved Oxygen	10-11
pH.....	10-13
Nutrients.....	10-13
Phosphorus	10-13
Nitrogen.....	10-15
Bacteria	10-15
Turbidity	10-18
Contaminants.....	10-19
Summary of Water Quality Concerns	10-19
References Cited.....	10-22
Chapter 11. Aquatic Species and Habitat	
Characterization.....	11-1
Fish Species.....	11-2
Bull Trout (<i>Salvelinus confluentus</i>).....	11-2
Life History and Habitat Requirements	11-3
Abundance and Distribution	11-3
Productivity	11-6
Policy.....	11-7
Critical Habitat.....	11-7
Redband Trout (<i>Oncorhynchus mykiss newberrii</i>)	11-8
Habitat Requirements and Life History	11-8
Distribution, Abundance and Productivity.....	11-10
Anadromous Salmonids	11-10
Chinook salmon (<i>Oncorhynchus tshawytscha</i>)	11-10
Steelhead (rainbow) trout (<i>Oncorhynchus mykiss</i>).....	11-11
Sucker Species.....	11-11
Other Fish Species	11-12
Aquatic Habitat.....	11-13
Introduction	11-13
Potential Barriers to Fish Passage.....	11-15
In-Stream and Riparian Habitat	11-18
Analysis of ODFW Survey Data.....	11-18
Results of Forest Service and Weyerhaeuser Surveys	11-25
Upper Sycan Watershed.....	11-25
South Fork Sprague Watershed.....	11-30
References Cited.....	11-32
Chapter 12. Terrestrial Wildlife Species and Habitat	
Introduction	12-1
Forests and Woodlands.....	12-1
Wildlife Diversity and Function	12-1
Management Issues.....	12-2
Shrublands and Western Juniper Woodlands	12-3
Wildlife Diversity and Function.....	12-3

Management Issues.....	12-4
Riparian Areas and Wetlands.....	12-5
Wildlife Diversity and Function.....	12-5
Management Issues.....	12-5
Big Game.....	12-6
Mule Deer.....	12-6
Elk.....	12-7
Black Bear.....	12-7
Cougar.....	12-8
Threatened, Endangered, and Sensitive Animal Species.....	12-8
Invertebrates.....	12-9
Amphibians.....	12-9
Reptiles.....	12-10
Birds.....	12-10
Mammals.....	12-12
References Cited.....	12-14
Chapter 13. Watershed Function Summary	
General Geographic Characteristics.....	13-1
Geologic Processes.....	13-2
Hydrology and Water Use.....	13-2
Terrestrial Vegetation.....	13-3
Riparian Areas.....	13-4
Wetlands.....	13-5
Channel Characteristics.....	13-5
Water Quality.....	13-6
Aquatic Species and Habitat.....	13-6
Terrestrial Wildlife and Habitat.....	13-6
Conclusion.....	13-7
Chapter 14. Restoration Accomplishments	
Private Landowners.....	14-1
Klamath Watershed Council: Sprague River Working Group.....	14-2
Sycan Watershed Council.....	14-2
Active Programs and Projects.....	14-3
Klamath Basin Ecosystem Foundation.....	14-4
Private Industrial Forestland Projects.....	14-5
North Fork Sprague Watershed.....	14-5
South Fork Sprague Watershed.....	14-5
Sycan Marsh Watershed.....	14-6
NRCS, FSA, and KSWCD Restoration Projects.....	14-6
Active Programs and Projects.....	14-6
The Nature Conservancy.....	14-8
USFWS (ERO) Projects.....	14-10
References Cited.....	14-14
Chapter 15. Recommendations and Data Gaps	
Background.....	15-1
Geologic Processes.....	15-1

Hydrology and Water Use..... 15-2
Terrestrial Vegetation 15-2
Riparian Area 15-4
Wetlands 15-5
Channel Characteristics 15-6
Water Quality 15-7
Aquatic Species and Habitats 15-8
Terrestrial Wildlife..... 15-9
Data Gaps..... 15-10
 Stream Channels..... 15-10
 Aquatic Species and Habitats 15-10
 Riparian Vegetation..... 15-11
 Weeds 15-11
 Roads..... 15-11
 Wetlands 15-11
References Cited..... 15-12

Appendix A. Glossary A-1
Appendix B. Resource Directory..... B-1
Appendix C. Aerial Photo-Based Riparian Area Analysis..... C-1

List of Figures

5-1.	Annual precipitation measured at Sprague River, Oregon (Station 358007) from 1958 through 1998 showing long-term patterns in regional precipitation	5-6
5-2.	Annual distribution of precipitation as shown by average monthly precipitation at Sprague River, Oregon (Station 358007) from 1958 through 1998.....	5-6
5-3.	Maximum annual snow pack (snow water equivalents) at snow survey sites in the vicinity of the Upper Sprague River subbasin.....	5-10
5-4.	Average monthly snow pack (snow water equivalents) measured at Taylor Butte in 1979 through 2005	5-10
5-5.	Monthly stream flow throughout the period of record in the Sprague River near Beatty (Gage 11497500, top), the North Fork Sprague River at Power Plant (Gage 11495800, center), and the Sycan River below Snake Creek (Gage 11499100, bottom)	5-16
5-6.	Low flow history for the period of record for the Sprague River near Beatty (top) and the Sycan River below Snake Creek (bottom)	5-17
5-7.	Annual peak flow measured in the Sprague River near Beatty (Gage No. 11497500, top), and in the Sycan River below Snake Creek (Gage No. 11499100, bottom).....	5-18
5-8.	Flow duration curves for the Sprague River near Beatty for the most common high-flow month (May), low flow month (August), and the annual average daily flow	5-19
5-9.	Distribution of maximum potential surface water use by watershed, based on the permitted flow rates of water rights (not including in-stream water rights)	5-22
7-1.	Extent of LIDAR data collection in the Sprague River Basin.....	7-15
7-2.	Digital images of the ground surface (upper panel) and vegetation canopy (lower panel) in the area covered by Map 1 (Figure 7-4).....	7-16
7-3.	Digital images of the ground surface (upper panel) and vegetation canopy (lower panel) in the area covered by Map 2 (Figure 7-4).....	7-17
7-4.	Digital images of vegetation height superimposed on aerial photos of sections of the Sprague River mainstem.....	7-18
7-5.	Digital images of vegetation height superimposed on aerial photos of sections of the South Fork Sprague River	7-19
8-1.	Aerial photography depicting NWI designated wetlands (black lines).....	8-5
8-2.	The Cowardin wetland classification system of wetlands present in the Upper Sprague River subbasin.....	8-8
9-1.	Rosgen Assessment Methodology	9-10
9-2.	Rosgen Channel Classes	9-11
9-3.	Example of Rosgen channel type A along Fishhole Creek	9-11
9-4.	Example of Rosgen channel type B along Fishhole Creek	9-12
9-5.	Example of Rosgen channel type C along Fishhole Creek	9-12
9-6.	Example of Rosgen channel type E along Crazy Creek	9-13
9-7.	Example of Rosgen channel type F along Paradise Creek.....	9-13
10-1.	Seven-day-average maximum daily temperature at several sites in the Upper Sprague River subbasin.....	10-14
10-2.	Dissolved oxygen concentration measured at several sites in the Upper Sprague River subbasin in 1999 through 2005.....	10-16
10-3.	pH values measured at several sites in the Upper Sprague River subbasin in 1999 through 2005	10-16
10-4.	Total phosphorus values measured at several sites in the Upper Sprague River subbasin in 1999 through 2005	10-17

10-5. Nitrate-nitrogen values measured at several sites in the Upper Sprague River
subbasin in 1999 through 2005 10-17

C-1. The distribution among various vegetation types of land in the riparian zone within
each of the watersheds in the Upper Sprague River subbasin..... C-4

List of Tables

1-1.	Issues raised during the Issues Identification Workshop listed by category.....	1-5
1-2.	Watershed issues ranked by total votes cast by workshop participants	1-9
1-3.	Categories ranked by weighted scores	1-10
2-1.	Fremont National Forest Timber Sales in 1943	2-8
2-2.	Fremont National Forest Total Annual Timber Harvest 1946-1952	2-8
3-1.	Stream length (miles) by type of water body in the Upper Sprague River subbasin	3-2
3-2.	Watersheds and key streams of the Upper Sprague River subbasin.....	3-3
3-3.	Land ownership in the Upper Sprague River subbasin (square miles).....	3-7
3-4.	Area of land cover vegetation (acres) in the Upper Sprague River subbasin, by watershed.....	3-7
3-5.	Ecoregions of the Upper Sprague River subbasin.....	3-8
4-1.	Geologic parent material of the Upper Sprague River subbasin.....	4-4
4-2.	STATSGO general soil types found in the Upper Sprague River subbasin	4-8
4-3.	Soil characteristics associated with the SSURGO, Fremont, and Winema soil maps.....	4-11
4-4.	Breakdown of K-factor erosion potential classes derived from SSURGO data available within the Upper Sprague River subbasin	4-14
4-5.	Surfaces soil erosion potential by watershed as determined by the Forest Service	4-16
4-6.	Bank erosion estimates from ODFW stream surveys.....	4-19
4-7.	Breakdown of stream length in streambank erosion classes, based on ODFW survey data	4-21
4-8.	Road density in the Upper Sprague River subbasin	4-21
4-9.	The amount of different types of road surface on Fremont-Winema National Forest land, by miles of road, in each watershed in the Upper Sprague River subbasin, as determined by Fremont-Winema National Forest.....	4-24
4-10.	Operation maintenance level of roads (miles) in the portions of the Upper Sprague River subbasin within the Fremont portion of the Fremont-Winema National Forest.....	4-24
4-11.	Length of road or stream within 200 feet of each other (miles).....	4-25
4-12.	Miles of road within 200 feet of a stream by watershed.....	4-25
4-13.	Road-stream crossings in the Upper Sprague River subbasin	4-27
4-14.	Soil sensitivity to road-related erosion in areas of the Upper Sprague River subbasin included in the Klamath County SSURGO database	4-29
4-15.	Classification of the natural stability of soil, by watershed (indicating the potential for mass movement), as determined by Fremont National Forest	4-30
5-1.	Hydrologic characteristics of ecoregions within the Upper Sprague River subbasin.....	5-4
5-2.	PRISM annual precipitation values for watersheds of the Upper Sprague River subbasin	5-9
5-3.	Snow survey sites in the vicinity of the Upper Sprague River subbasin	5-9
5-4.	Minimum and maximum snow accumulation (snow water equivalent, inches) for nearby snow survey stations	5-9
5-5.	Stream flow records from the Upper Sprague River subbasin	5-14
5-6.	Number of points of diversion by watershed in the Upper Sprague River subbasin	5-22
5-7.	Maximum flow of surface water that has been allocated in water rights for consumptive use, not including in-stream rights, as represented in the OWRD database.....	5-24
5-8.	Number of days during which flow was below the in-stream water right within a given month, over the period of record, at the Sprague River near Beatty gage	5-25
6-1.	Nineteenth-Century landscape composition of the Upper Sprague River subbasin.....	6-1

- 6-2. Acreage and percent subbasin area of 15 land cover types occurring in the Upper Sprague River subbasin..... 6-4
- 6-3. Plant species that have special conservation status and are likely to occur in the Upper Sprague River subbasin 6-8
- 7-1. Major indicator shrubs and herbs in riparian zones on national forests in central Oregon 7-7
- 7-2. Effectiveness monitoring results for riparian areas within the North Fork Sprague River Action Area..... 7-11
- 7-3. Effectiveness monitoring results for fish habitat conditions within the North Fork Sprague River Action Area..... 7-11
- 7-4. Effectiveness monitoring results for riparian areas within the Sycan River Action Area 7-11
- 7-5. Effectiveness monitoring results for fish habitat conditions within the Sycan River Action Area 7-12
- 7-6. Fremont-Winema National Forest Service Proper Functioning Condition monitoring results 7-12
- 7-7. Distribution of riparian vegetation height classes within the analysis areas 7-15
- 8-1. Wetland type, acreage, and percent distribution identified in the Upper Sprague River subbasin, calculated from USFWS (1981) NWI data..... 8-12
- 8-2. Total wetland area in each watershed within the assessment area 8-12
- 8-3. Acreage of wetland types found within each watershed..... 8-13
- 9-1. Rosgen channel type descriptions for the Upper Sprague River subbasin 9-8
- 9-2. Reservoir distribution in the Upper Sprague River subbasin..... 9-16
- 10-1. Land cover types in the Upper Sprague River subbasin..... 10-4
- 10-2. Water quality criteria and evaluation indicators 10-5
- 10-3. Criteria for evaluating water quality impairment..... 10-6
- 10-4. Water quality limited water bodies in the Upper Sprague River subbasin 10-6
- 10-5. Sites in the Upper Sprague River subbasin sampled for water quality by ODEQ, USFS, and KNRD..... 10-10
- 10-6. Summary of water quality data collected by ODEQ in the Upper Sprague River subbasin in August 1999 and August 2000..... 10-11
- 10-7. Summary statistics for hourly streamwater temperature (°C) data collected in 2001 and 2002 at various locations in the Upper Sprague River subbasin..... 10-12
- 10-8. Sites in the Upper Sprague River subbasin with more than 10 measurements for various water quality constituents 10-13
- 10-9. Statistical summary of E. coli values collected in the Upper Sprague River subbasin in 1999 and 2000..... 10-18
- 10-10. Locations with E. coli samples that exceeded the single sample maximum evaluation criterion (406 colonies/100 mL) 10-18
- 10-11. Summary statistics for turbidity measurements (NTU) in the Upper Sprague River subbasin 10-19
- 11-1. Breakdown of bull trout critical habitat by stream 11-8
- 11-2. Culvert survey data from Fremont-Winema National Forest..... 11-17
- 11-3. Stream habitat survey benchmarks 11-20
- 11-4. Pool habitat conditions, by subwatershed, based on ODFW survey data..... 11-22
- 11-5. Riffle habitat conditions, by subwatershed, based on ODFW survey data 11-23
- 11-6. Large woody debris habitat conditions, by subwatershed, based on ODFW survey data 11-24

11-7. Stream shade and riparian vegetation condition, by subwatershed, based of ODFW survey data 11-26

11-8. Summary of stream survey ratings 11-27

11-9. Results of in-stream habitat surveys conducted by Fremont National Forest and presented in the Upper Sycan Watershed Analysis 11-29

11-10. Results of in-stream habitat surveys conducted by Fremont National Forest and presented in the South Fork Sprague River Watershed Analysis 11-32

12-1. Comparison of vertebrate species richness among ten habitat types in the Upper Sprague River subbasin..... 12-2

12-2. Animal species that have special conservation status and are likely to occur in the Upper Sprague River subbasin 12-9

14-1. Active habitat enhancement projects through USFWS 14-13

C-1. Distribution of land in the riparian zone in the Upper Sprague River subbasin watersheds among various vegetation types C-3

List of Maps

3-1. Geographic features of the Upper Sprague River subbasin..... 3-4

3-2. Land ownership in the Upper Sprague River subbasin 3-5

3-3. Land cover types in the Upper Sprague River subbasin..... 3-6

3-4. Ecoregions in the Upper Sprague River subbasin..... 3-9

4-1. Map of geologic types within the Upper Sprague River subbasin 4-5

4-2. General soil types from the STATSGO database of county soil surveys 4-7

4-3. Detailed soil types, from Forest Service and SSURGO data..... 4-9

4-4. Sheet erosion potential of soils in the study area, as estimated by the Forest Service and NRCS..... 4-15

4-5. Results of ODFW determinations of the extent of streambank erosion in the stream reaches that were included in stream habitat surveys 4-20

4-6. Distribution of roads within the Upper Sprague River subbasin..... 4-22

4-7. Roads located within 200 feet of streams 4-26

4-8. Road-stream crossings in the Upper Sprague River subbasin 4-28

5-1. Modeled annual precipitation, using the PRISM model..... 5-7

5-2. Locations of stream gages, SNOTEL stations, and points of diversion in the Upper Sprague River subbasin..... 5-8

6-1. Historical vegetation map 6-2

6-2. Land cover GAP map for the Upper Sprague River subbasin..... 6-6

8-1. Wetland distribution within the Upper Sprague River subbasin, based on NWI data 8-3

8-2. Detailed depiction of wetland distribution in the portions of the Upper Sprague River subbasin that exhibit the greatest wetland abundance 8-4

9-1. Rosgen stream type photo locations..... 9-14

10-1. Water quality limited streams in the subbasin 10-7

11-1. Bull trout distribution in the Upper Sprague River subbasin 11-5

11-2. Critical habitat for bull trout within the Klamath River Basin 11-9

11-3. Known potential fish passage barriers in the Upper Sprague River subbasin..... 11-16

11-4. Stream reaches surveyed by ODFW within the Upper Sprague River subbasin 11-21

14-1. Active restoration projects 14-12

C-1. Riparian vegetation in the Upper Sprague River subbasin, based on aerial photograph interpretation..... C-5

List of Acronyms and Abbreviations

AUM	Animal unit month
BLM	Bureau of Land Management
C-S-R	Capture, store and release
CCC	Commodity Credit Corporation
CCRP	Continuous Conservation Reserve Program
CFS	Cubic feet per second
CHT	Channel habitat type
CREP	Conservation Reserve Enhancement Program
CRP	Conservation Reserve Program
CWD	Chronic wasting disease
DEM	Digital elevation model
ECSI	(DEQ) Environmental Cleanup Site Information
ENSO	El Niño/Southern Oscillation
EPA	Environmental Protection Agency
EQIP	Environmental Quality Incentives Program
ERO	Ecosystem Restoration Office (of the U.S. Fish and Wildlife Service)
ESA	Endangered Species Act
ESRI	Environmental Systems Research Institute
ET	Evapotranspiration
FLIR	Forward Looking Infrared Radiometry
GAP	Gap Analysis Project
GIS	Global (Geographic) Information System
GLO	General Land Office
GPS	Global Positioning System
HSU	Humboldt State University
HUC	Hydrologic unit code
HWG	Hatfield Working Group
IAU	Individual Assessment Unit
ID	Inter-disciplinary
INR	Institute for Natural Resources
IPCC	International Panel on Climate Change
KBEF	Klamath Basin Ecosystem Foundation
KNRD	Klamath Tribes Natural Resources Department
KWC	Klamath Watershed Council
LASAR	Laboratory Analytical Storage and Retrieval Database
LIDAR	Light Detection and Ranging
LRMP	Land and Resource Management Plan
LWD	Large woody debris
LWG	Local working group
MBF	Million board-feet
NCDC	National Climatic Data Center
NF	National Forest
NFCP	Native Fish Conservation Policy
NHD	National Hydrography Dataset
NOAA	National Oceanic and Atmospheric Administration
NPDES	National Pollutant Discharge Elimination System

NPS	National Park System
NRCS	Natural Resources Conservation Service
NRST	National Riparian Service Team
NTU	Nephelometric turbidity unit
NWI	National Wetland Inventory
NWCC	National Water and Climate Center
NWR	National Wildlife Refuge
OAR	Oregon Administrative Rules
OC&E	Oregon, California, and Eastern
OCAFS	Oregon Chapter of the American Fisheries Society
OCS	Oregon Climate Service
ODEQ	Oregon Department of Environmental Quality
ODF	Oregon Department of Forestry
ODFW	Oregon Department of Fish and Wildlife
ODSL	Oregon Department of State Lands
OGAP	Oregon Gap Analysis Program
OGEO	Oregon Geospatial Enterprise Office
OIT	Oregon Institute of Technology
ONCIC	Oregon Natural Heritage Information Center
ONHP	Oregon Natural Heritage Program
ORS	Oregon Revised Statute
OSU	Oregon State University
OWEB	Oregon Watershed Enhancement Board
OWQI	Oregon Water Quality Index
OWRD	Oregon Water Resources Department
PDO	Pacific Decadal Oscillation
PFC	Proper Functioning Condition
PNW	Pacific northwest
POR	Period of record
PRISM	Parameter-elevation Regressions on Independent Slopes Model
PSMFC	Pacific States Marine Fisheries Commission
RCU	Riparian condition unit
REO	Regional Ecosystem Office
RUSLE	Revised Universal Soil Loss Equation
SNOTEL	Snowpack Telemetry
SRI	Soil Resource Inventory
SSURGO	(NRCS) Soil Survey Geographic
STATSGO	(NRCS) State Soil Geographic
SWE	Snow water equivalent
(%) TIA	(percent of) total impervious area
TMDL	Total Maximum Daily Load
TNC	The Nature Conservancy
TRS	Timber Resource Services
USBR	U.S. Bureau of Reclamation
USDI	U.S. Department of Interior
USFS	U.S. Forest Service
USFWS	U.S. Fish & Wildlife Service
USGS	U.S. Geological Survey

WAB	Water availability basin
WARS	Water Availability Reporting System
WDNR	Washington Department of Natural Resources
WFPB	Washington Forest Practices Board
WLA	Working Landscapes Alliance
WPCF	Water Pollution Control Facility
WPN	Watershed Professionals Network
WQMP	Water Quality Management Plan
WRCC	Western Regional Climate Center
WRIS	Water Rights Information System
WRP	Wetland Reserve Program

Disclaimer

This watershed assessment is based almost entirely on the work of others. The authors of this document have attempted to organize relevant data and associated interpretation into a format that will be most useful to Upper Sprague River Watershed stakeholders. Citations are provided to key data bases and existing reports that provided the foundation for this assessment. Note, however, that we rely heavily on data interpretations provided in these reference reports, as is standard practice for watershed assessments. We have cited and referenced many borrowed works for this document and maintain the fair use doctrine for such use. Under the fair use doctrine of the U.S. copyright statute, it is permissible to use limited portions of a work for purposes such as scholarly reports.

This report includes information from consultants, academic researchers, government scientists, and many others. We have attempted to ensure that all the information herein is credible, but have performed no independent testing of these reports or associated data. Reporting such information does not constitute endorsement of any product, method, or conclusion. Omission of information does not imply a negative evaluation. All trademarks referred to remain property of their respective owners. The authors and publishers specifically disclaim any and all liability purported to result from inclusion or exclusion of any previously-existing material in this report.

Every effort has been made to ensure that this report is as complete and accurate as possible. However, there may be mistakes in content or typographical errors. It is distributed with the understanding that neither the authors nor E&S Environmental Chemistry, Inc. are responsible for the accuracy of the material cited herein.

Preface

by Mike Connelly, KBEF

As far back as the records go, the Upper Sprague and Sycan watersheds have been “on the edge.” This is true in terms of geography, culture, economy, politics, and ecology. For centuries, this was where the Paiute Indians, whose territory stretched all the way down into Nevada, met the Klamath people, who ranged westward into the mountains west of Upper Klamath Lake. The Modocs sometimes came here too, from their homes to the south on Tule Lake and the Lost River.

This area has been on the edge in other ways as well. To the west, it is wetter, and the plants and animals are more numerous. To the east, where it gets dry pretty quickly, the plants and animals change, and generally are fewer and farther apart. When the states were formed, the area ended up near the line between Oregon and California, and when Lake and Klamath counties were formed, these watersheds were shared between the two.

This region contains the headwaters of a drainage that travels several hundred miles and empties into the Pacific Ocean, slicing through the Cascade Mountain Range along the way. The January snowflakes falling on Gearhart’s cliffs will make their way downriver, eventually lapping into the saltwater on the coast of northern California. For untold centuries, people and fish have followed the rivers and creeks, upstream and downstream, looking for more hospitable weather and better things to eat.

In some ways, the people were luckier than the fish. People got to climb the mountains during the summer months, breathing the thin air deeply, squinting at the bright blue and sunshine, looking down on the places they lived -- getting a good long look at “The Big Picture.”

There are good people that live in the Upper Sprague and the Sycan, people with all different kinds of backgrounds. These are people who work harder than most, and get less in return, at least when it comes to money. But there must be something else that they get, because they stay in this place, working the land day in and day out, fighting the cold, sweating in the heat, swatting the bugs, and watching as the travelers pass on through, on their way to somewhere else. Other times, they sit with people they’ve known for years, watching the sun come up, watching the sun go down, watching the fish jump and the swallows dive as the water keeps flowing slowly by.

Today, the communities of the Upper Sprague and Sycan are on the edge not just in location, but also in time. Things are changing in these communities, as they are throughout the rural western United States. Some of these changes are good, and some of them aren’t any good at all. But either way the change is there, and we’ve got to find a way to deal with it.

This document is supposed to be a tool. It’s meant to help us deal with changes in a way that doesn’t sacrifice all the good things about our rural communities -- the common sense, the honesty, the faith, the endurance, the love of the land, the love for your neighbor, and the willingness to do what it takes to make things right.